



## R150/R200

The widcnc R150 and R200 are designed to respond effectively to the needs of an increasingly demanding market. We have developed a precise, robust, reliable and technologically advanced equipment. Its modular design gives you great versatility. The robustness and precision of construction, as well as its high precision travel systems coupled with the servo motors, provide unmatched cutting quality.

The widcnc comes equipped with all the elements needed for a great job, such as "Mist Cooling", linear rail lubrication, 8 electrically operated vacuum zones, automatic tool measure, as well as an optional automatic tool change system.

The clever asymmetric design of the table combined with BECKER's powerful vacuum pump, enables superior material stability and fixation.

**Measurements**: **R150** - 3800 x 2550 x 2200 mm / **R200** - 3800 x 3050 x 2200 mm

**Weight**: **R150** - Approx. 2500 Kg - **R200** - Approx. 3000 Kg

**Power**: Three phase AC 380V 50 / 60Hz **Maximum Travel Speed**: Up to 40m / min



### **Endless Applications**

Cut and engrave various materials. Automate processes with the optional automatic tool change.



#### Easy to use software

Intuitive software with powerful tools, suitable for both beginners and professionals.



#### Best cutters on the market

We have a complete range of CNC's capable of meeting the most demanding needs in the market.



#### First class materials

We guarantee reliable, robust and accurate equipment with unmatched working capacity. Professional and fast response technical service.














# Main features

- 8mm tubular chassis with anti-corrosion and stress treatment;
- Z axis, aluminum with anti-corrosion treatment;
- Working area;
  - **R150** 1550 x 3050;
  - **R200** 2200 x 3050;
- Vacuum table with 8 asymmetric zones;
- 4kw BECKER vacuum pump with filter system and safety valve;
- Z axis height up to 200mm;
- X / Y movement high precision helical rack;
- High precision ball screw Z movement;
- SHIMPO reducers;
- INOVANCE Servo Motors;
- 25mm linear guides;
- · Air-cooled spindle with 6kw;
- Industrial grade dust collector;
- Guide lubrication system;
- Mist Cooling System;
- · Control system with PC and NC Studio;
- Vetric VCarve Pro Software;
- · Network and USB connectivity
- Schneider electrical components;

## **Optional**

- · Spindles with different powers;
- ATC Automatic tool change;
- · Automatic lubrication;







