



Xerox PrimeLink B9100 Series Family of Copier/Printers



Total width: 130 in (3,309 mm) **Total height:** 58 in (1,477 mm) **Total depth:** 31 in (804 mm)

Dimensions shown are approximate. Please refer to the Installation Guide for exact dimensions

PrimeLink B9100 Copier/Printer

The Xerox®PrimeLink B9100 Copier/Printer (prints, copies, scans and optionally faxes) delivers superior black and white image quality a productive 100 ppm.

- Superior black and white image quality, using new EA-Eco LGK (low gloss black) toner at print resolution of up to 2400 x 2400 dpi, produces rich blacks and more consistent, smooth shades of gray with a low-gloss matte finish.
- Simple, efficient and secure workflows with an easy-to-use 10.4 inch touch screen, excellent features, and walk-up copy/scan capabilities.
- Bypass tray runs up to 250 sheets (4" x 6"/100 mm x 148 mm through 13" x 19.2"/330mm x 488mm); 52 to 350 gsm weight. Additionally, Extra Long Sheet (XLS) up to 13" x 26"/330mm x 660mm; 60 to 220gsm weight. (Requires 1 or 2 Tray Oversize High Capacity Feeder and Production Ready Finisher)
- 4 Internal Trays standard. Accommodate various stock weights and capacities:
 - Tray 1: 1,100 sheets (8.5" x 11" / A4); 16 lb Bond to 80 lb Cover (52 to 216 gsm)
 - Tray 2: 1,600 sheets (8.5" x 11" / A4); 16 lb Bond to 80 lb Cover (52 to 216 gsm)
 - Tray 3: 550 sheets 5.5" x 7.2" (140mm x 182mm) to 13.0" x 19.2" (330mm x 488mm / A5 to SRA3); 16 lb Bond to 80 lb Cover (52 to 216 gsm)
 - Tray 4: 550 sheets 5.5" x 7.2" (140mm x 182mm) to 13.0" x 19.2" (330mm x 488mm / A5 to SRA3); 16 lb Bond to 80 lb Cover (52 to 216 gsm)
- 250 sheet Single Pass Duplex Automatic Document Feeder scans up to 270 ipm and accepts originals up to 11" x 17"/A3. 38 gsm to 200 gsm (duplex 50 gsm to 200 gsm)
- Ultra-High Precision Registration with image registration control technology (IReCT) that precisely measures the position of sheets while running and provides real time correction to any mis-registration or distortion on each sheet.
- SIQA – Simple Image Quality Adjustment
 - Precise adjustment over registration and density uniformity
 - Combines power and ease of use with consistent quality



1 Tray Oversized High Capacity Feeder

A single, 2,000 sheet capacity tray with paper stabilizer to minimize skew for custom size paper. Blowers help feeding and improve reliability. Includes roller system to prevent misfeeds. Holds paper sizes from 4 x 5.8"/100 x 148 mm/ up to 13" x 19.2"/SRA3/ 330 x 488mm with a weight of 52 gsm /16 lb bond uncoated up to 300 gsm /110 lb cover.

Tray 5 (Bypass): Up to 13" x 19.2"/SRA3/ 330 x 488mm with a weight of 52 gsm /16 lb bond uncoated up to 253 gsm /96 lb cover.


Extra Long Sheet: Up to 13 x 26 in. (XLS) / 330 x 660mm (XLS); 60 to 220gsm weight; manual duplex.



Production Ready Finisher

Ensures consistent high-quality stapled sets for small or large documents with a variable-length stapler, single or dual stapling option, and a 100 sheet capacity:

- Stapled sheet sizes 7.2" x 5.7" (182 x 146 mm) to 11.7" x 17.0" (297 mm x 432 mm)
- Handles paper weights 52-350 gsm uncoated or 72-350 gsm coated for both stacking and Stapling
- Stacker Tray holds up to 3,000 sheets and can handle sizes from 5.83" x 5.75" (148 mm x 146 mm) to 13.0" x 19.2" (330.2 x 488 mm)
- Top Tray holds 500 sheets



Xerox Inserter

This module inserts preprinted or blank media into printed documents. Innovative design places it upfront to enable other finishing on inserted sheets, such as trimming, punching, folding, and stapling.

- Tray capacity: 250 sheets
- Smallest Sheet Size: 7.2" x 5.8" (182 mm x 148 mm)/A5L
- Largest Sheet Size: 13.0" x 19.2" (330 mm x 488 mm)
- Paper Weights: Uncoated 52-350 gsm and Coated: 72-350 gsm

Required when adding any Production Ready Finishers.



Xerox Integrated Color Server

Modernize the way you work. With the combination of the Xerox® PrimeLink® B-Series Copier/Printer and the Xerox® Integrated Server, powerful performance is at your fingertips. Engineered for high-end office applications, it enables advanced workflows for transformative results.

- Tailor your device to work the way you do with the ever-evolving selection of innovative apps available on the Xerox App Gallery.
- Maximize your productivity by performing scan, print, copy, fax* (optional for PrimeLink B9100 only) and file routing operations

simultaneously.

- Securely print from any email-enabled device with @PrintByXerox. No software or app to download. No IT intervention. Just send an email and print at the device.
- Automate document routing to predefined locations such as email addresses with job flow sheets.
- Use Xerox® Standard Accounting and internal auditing to track device usage, set limits and control costs.
- Robust security that safeguards the full range of entry points.
- Remotely manage the device with Xerox® Embedded Web Server.

Once you have used the Product Explorer to configure your product, this QR code will allow you, or a sales person, to easily retrieve your configured product details.

How to use your QR Code

1. Open the QR Code reader on your phone, or download a QR code scanning app from your device's app store.
2. Hold your smartphone over the QR Code so that you can clearly see the image within your screen.
3. Your smartphone reads the code and navigates to the intended destination.



Created on 6/9/2022 9:46:52 PM